AMENDMENTS TO THE CLAIMS

- 1-27. (Canceled)
- 28. (Original) A compound of the formula (I),

$$\underbrace{ \begin{array}{c} Ar_1 \\ Y \end{array} \underbrace{ \begin{array}{c} \\ \\ \\ \end{array} } A - (CH_2)_m \underbrace{ \begin{array}{c} \\ \\ \\ \end{array} } R^6 \\ (CH_2)_n - COOR^7 \\ \end{array} }$$

their derivatives, their stereoisomers, their pharmaceutically acceptable salts and their pharmaceutically acceptable compositions;

wherein Ar_1 represents a unsubstituted or substituted monocyclic or polycyclic aromatic or partially saturated aromatic polycyclic structure, which may optionally contain up to 3 heteroatoms selected from N, S or O, such as

which when substituted may have up to 4 substituents that may be identical or different, wherein said substituents selected from halo, nitro, alkyl, hydroxy, hydroxyalkyl, alkoxy, thioalkoxy, oxo, aryl, --NR¹R², --OCONR¹R², NR¹COOR², --NR¹SO₂R², NR¹CONR¹R², --OSO₂R³, --SO₂R³,

R¹ and R² independently represent hydrogen, or optionally substituted groups selected from alkyl, alkenyl, alkynyl, cylcoalkyl, heterocyclyl, aryl, heteroaryl; R³ independently represents hydrogen, or optionally substituted groups selected from alkyl, alkenyl, alkynyl, cylcoalkyl, heterocyclyl, aryl, heteroaryl, wherein said substituents on R¹, R² and R³ are selected from hydrogen, halo, nitro, amino, mono or di substituted amino, hydroxy, alkoxy, carboxy, cyano, alkyl, cycloalkyl, alkoxy, haloalkoxy, haloalkyl, cycloalkyl, aryl, heterocyclyl, heteroaryl;

m and n independently represents an integer from 0 to 6;

A represents O, S or a bond;

Y is selected from $(CH_2)_p$, $(CH_2)_pB(CH_2)_q$, $(CH_2)_rB(CH_2)_pD(CH_2)_q$, wherein p, q and r each independently represents an integer from 0 to 6; B and D independently represents S, O, NR^4 or a bond, R^4 represents hydrogen, alkyl, alkenyl, --S(O)₂-R⁸ or --C(O)R⁸, R⁸ is alkyl, alkoxy; with the proviso that when B and D represents a hetero atom p is not zero;

R⁵ and R⁶ independently represents hydrogen, alkyl, cycloalkyl or alkoxy; R⁵ and R⁶ together may form 3-8 membered cyclic ring which may optionally contains one or two hetero atoms selected from O, S or N;

R⁷ represents hydrogen, substituted or unsubstituted alkyl, cycloalkyl, alkenyl or alkynyl; wherein said substituents are selected from hydrogen, halo, nitro, amino, mono or di substituted amino, hydroxy, alkoxy, carboxy, cyano, alkyl, cycloalkyl, alkoxy, haloalkoxy, haloalkyl, cycloalkyl, aryl, heterocyclyl, heteroaryl.

29. (Currently Amended) A compound of formula (Ia) according to claimed 28

(Ia)

wherein all of the symbols are as defined in claim 28 above.

- 30. (Original) The compound of claim 29, wherein Ar_1 is substituted with $-OSO_2R^3$, and R^3 is alkyl or aryl.
- 31. (Currently Amended) The compound of formula (Ia) as claimed in <u>claim 29</u> claim 28 is selected from

Structure	IUPAC Name
O O H OMe	(S)-Ethyl 2-methoxy-3- [4-{6-methanesulfonyloxynapth-2-ylmethylamino} phenyl] propanoate
O O O H	Ethyl 2-ethoxy-3- [4-{6-methanesulfonyloxynapth-2-ylmethylamino} phenyl] propanoate
O O O O O O O O O O O O O O O O O O O	Ethyl 2-ethoxy-5- [4-{6-methanesulfonyloxynapth-2-ylmethylamino} phenyl] pentanoate
O O H OMe	(S)-2-methoxy-3- [4-{6- methanesulfonyloxynapth-2- ylmethylamino} phenyl] propanoic acid
O OEt NOTICE OET OET OET OET OET OET OET O	2-ethoxy-3- [4-{6-methanesulfonyloxynapth-2-ylmethylamino} phenyl] propanoic acid
O SO H OEt	2-Ethoxy-5- [4-{6- methanesulfonyloxynapth-2- ylmethylamino} phenyl] pentatonic acid

Structure	IUPAC Name
O S O H	Ethyl 2-ethoxy-3- [4-{(6-methanesulfonyloxy-1, 2, 3, 4-tetrahydronapth-2-yl) methylamino} phenyl] propanoate
O O O O O O O O O O O O O O O O O O O	Ethyl 2-ethoxy-3- [4-{3-(6-methane sulfonyloxy-1, 2, 3, 4-tetrahydronapth-2-yl) propylamino} phenyl] propanoate
O S O H	2-ethoxy-3- [4-{(6-methanesulfonyloxy-1, 2, 3, 4-tetrahydronapth-2-yl) methylamino} phenyl] propanoic acid
ON OET	2-ethoxy-3- [4-{3-(6-methanesulfonyloxy-1, 2, 3, 4-tetrahydronapth-2-yl) propylamino} phenyl] propanoic aci
CO ₂ Et	Ethyl 2-ethoxy-3- [4-{3-(1,2,3,4-tetrahydroquinolyn-1-yl) propylamino} phenyl] propanoate
COOH	2-ethoxy-3- [4-{3-(1, 2, 3, 4-tetrahydroquinolyn-1-yl) propylamino} phenyl] propanoic acid

Structure	IUPAC Name
CO ₂ Et	Ethyl 2-ethoxy-3- [4-{3-(indol-1-yl) propyl amino} phenyl] propanoate
COOMe OMe	(S)-Methyl 2-methoxy-3- [4-{3- (indol-1-yl) propylamino} phenyl] propanoate
CO ₂ H	2-ethoxy-3- [4-{3-(indol-1-yl) propyl amino} phenyl] propanoic acid
N OMe	(S)-2-methoxy-3- [4-{3-(indol-1-yl) propyl amino} phenyl] propanoic acid
CO ₂ Et	Ethyl 2-ethoxy-3- [4-{3-(2, 3-dihydroindol-1-yl) propylamino} phenyl] propanoate
N OEt	2-ethoxy-3- [4-{3-(2, 3-dihydroindol-1-yl) propylamino} phenyl] propanoic acid

34. (Withdrawn, Currently Amended) The compound of formula (Ia) as claimed in claim 29 claim 28 is selected from

Structure	IUPAC Name
Me s O CO ₂ Et	(S)-Ethyl-2-ethoxy-3- [4-{3-(5-methanesulfonyloxyindol-1-yl) propylamino} phenyl] propanoate
Me s O CO ₂ Me OMe	S)-Methyl-2-methoxy-3- [4-{3-(5-methanesulfonyloxyindol-1-yl) propylamino} phenyl] propanoate
Me SO O CO ₂ Me OEt	(S)-Methyl 3-ethoxy-4- [4-{3-(5-methanesulfonyloxyindol-1-yl) propylamino} phenyl] butanoate
Me s O CO ₂ H	(S)-2-ethoxy-3- [4-{3-(5-methanesulfonyloxyindol-1-yl) propylamino} phenyl] propanoic acid
Me s O CO ₂ H	S)-2-methoxy-3- [4-{3-(5-methanesulfonyloxyindol-1-yl) propylamino} phenyl] propanoic acid
Me S O CO ₂ H	S)-3-ethoxy-4- [4-{3-(5- methanesulfonyloxyindol-1-yl) propylamino} phenyl] butanoic acid

35. (Currently Amended) The compound of formula (la) as claimed in <u>claim 29 claim</u> 28 is selected from

Structure	IUPAC Name
OSSO H2N H OMB ONH2	(S)-2-methoxy-3- [4-{6-methanesulfonyloxynapth-2-ylmethylamino} phenyl] propanoic acid Arginine salt
OE1	2-Ethoxy-5- [4-{6-methanesulfonyl oxynapth-2-ylmethylamino} phenyl] pentatonic acid Arginine salt
O. S. O. H. H. OEt ⊕ NH ₂ CO ₂ H NH ₂ NH ₂	2-ethoxy-3- [4-{(6-methanesulfonyloxy-1, 2, 3, 4-tetrahydronapth-2-yl) methylamino} phenyl] propanoic acid Arginine salt
CO ₂ H NH ₂ NH ₂	2-ethoxy-3- [4-{3-(6-methanesulfonyloxy-1, 2,3,4-tetrahydronapth-2-yl) propylamino} phenyl] propanoic acid Arginine salt
CO ₂ H CO ₂ H NH ₂ NH ₂	2-ethoxy-3- [4-{3-(1, 2, 3, 4-tetrahydroquinolyn-1-yl) propylamino} phenyl] propanoic acid Arginine salt

36. (Withdrawn, Currently Amended) The compound of formula (Ia) as claimed in claim 29 claim 28 is selected from

Structure	IUPAC Name
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2-ethoxy-3- [4-{3-(indol-1-yl) propyl amino} phenyl] propanoic acid Arginine salt
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	(S)-2-methoxy-3- [4-{3-(indol-1-yl) propyl amino} phenyl] propanoic acid Arginine salt
Me, s, O CO₂H O'O O O O O O O O O O O O O O O O O O	(S)-2-ethoxy-3- [4-{3-(5-methanesulfonyl oxyindol-1-yl) propylamino} phenyl] propanoic acid Arginine salt
Me, s, O CO₂H CO₂H CO₂H NH₂	(S)-2-methoxy-3- [4-{3-(5-methanesulfonyl oxyindol-1-yl) propylamino} phenyl] propanoic acid Arginine salt
Me, s, .0 o' s' o	(S)-3-ethoxy-4- [4-{3-(5-methanesulfonyloxyindol-1-yl) propylamino} phenyl] butanoic acid Arginine salt
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2-ethoxy-3- [4-{3-(2,3-dihydroindol-1-yl) propylamino} phenyl] propanoic acid Arginine salt

37. (Withdrawn, Currently Amended) The compound of formula (Ib) according to claimed 28,

wherein all of the symbols are as defined in claim 28 above.

- 38. (Withdrawn) The compound of claim 37 wherein Ar_1 is substituted with OSO_2R^3 , and R^3 is alkyl or aryl.
- 39. (Withdrawn) The compound of formula (lb) as claimed in claim 37 is selected from,

Structure	IUPAC Name
O. S. O. H. H. O. COZEI	Ethyl 2-methyl-2- [4-{6-methanesulfonyloxynapth-2-ylmethylamino} phenoxy] propanoate
Me, s, O CO ₂ Et	Ethyl 2-methyl-2- [4-{3-(5-methanesulfonyloxyindol-1-yl) propylamino} phenoxy] propanoate
O, O H	2-methyl-2- [4-{6- methanesulfonyloxynapth-2- ylmethylamino} phenoxy] propanoic acid
Me. S.O. CO ₂ H	2-methyl-2- [4-{3-(5- methanesulfonyloxyindol-1-yl) propylamino} phenoxy] propanoic acid

40. (Withdrawn, Currently Amended) The compound of formula (Ic) according to claim 28

$$\underbrace{ \text{Ar}_1 } \text{B} - (\text{CH}_2)_p - O \underbrace{ \text{II}_2 }_{\text{R}^5} (\text{CH}_2)_m \underbrace{ \text{COOR}^7 }_{\text{R}^5}$$

wherein all of the symbols are as defined $\underline{\text{in claim 28}}$ above.

41. (Withdrawn) The compound of claim 40, wherein Ar_1 is substituted with – OSO_2R^3 , wherein R^3 is alkyl or aryl.

42. (Withdrawn, Currently Amended) The compound of formula (Id) according to claim 28,

(Id) $Ar_1 \longrightarrow B - (CH_2)_p \longrightarrow O \longrightarrow (CH_2)_m \longrightarrow COOR^7$

wherein all of the symbols are as defined in claim 28 above.

- 43. (Withdrawn) The compound of claim 42, wherein " Ar_1 " is substituted with -- OSO_2R^3 , where R^3 is alkyl or aryl.
- 44. (Withdrawn, Currently Amended) A compound of formula (ld) according to <u>claim</u>
 42 claim 28 which is selected from:

Structure	IUPAC Name
ON CO2Et	Ethyl 2-methyl-2- [4-{6- methanesulfonyloxynapth-2- ylmethoxy} phenoxy] propanoate
O, S, O COOH	2-methyl-2- [4-{6- methanesulfonyloxynapth-2- ylmethoxy} phenoxy] propanoic acid
Me S.O. O. O. CO2Et	Ethyl 2-methyl-2- [4-{3-(5-methanesulfonyloxyindol-1-yl) propyloxy} phenoxy] propanoate
Me, S, O, O, CO₂H	2-methyl-2- [4-{3-(5-methanesulfonyloxyindol-1-yl) propyloxy} phenoxy] propanoic acid

45. (Withdrawn, Currently Amended) A compound of formula (Id) according to <u>claim</u>

42 claim 28 which is selected from:

Structure	IUPAC Name
MsO CO ₂ Et	Ethyl 2-methyl-2-[4-{3-(4-methanesulfonyloxyphenoxy) propyloxy} phenoxy] propanoate
MsO O O CO ₂ Et	Ethyl 2-methyl-2-[3-{3-(3-methanesulfonyloxyphenoxy) propyloxy} phenoxy] propanoate
MsO O CO ₂ H	2-Methyl-2-[4-{3-(4- methanesulfonyloxyphenoxy) propyloxy} phenoxy] propanoic acid

MsOOOCO ₂ H	2-Methyl-2-[3-{3-(3- methanesulfonyloxyphenoxy) propyloxy}phenoxy]propanoic acid
MsO CO ₂ Et	Ethyl 2-methyl-2-[3-{3-(4-methanesulfonyloxyphenoxy) propyloxy} phenoxy] propanoate
MsO O CO ₂ H	2-Methyl-2-[3-{3-(4- methanesulfonyloxyphenoxy) propyloxy} phenoxy] propanoic acid

46. (Withdrawn, Currently Amended) A compound of formula (Id) according to <u>claim</u>


42 claim 28 which is selected from:

Structure	IUPAC Name
0, s. 0 0 0 0 0 CO ₂ Et	Ethyl 2-methyl-2-[3-{3-(4-(paratoluenesulfonyloxy)phenoxy)propyloxy}phenoxy]propanoate
	Ethyl 2-methyl-2-[4-{3-(4-methanesulfonyloxyphenoxy)propyloxy}phenoxy]butanoate
O SO CO ₂ Et	
2 2 50 1	2-methyl-2-[3-{3-(4-(para-toluenesulfonyloxy)phenoxy)propyloxy}phenoxy]propanoic acid
0,50,000,000,000,000,000,000,000,000,00	
	2-Methyl-2-[4-{3-(4- methanesulfonyloxyphenoxy)propyl oxy}phenoxy]butanoic acid
O S O CO ₂ H	

47. (Withdrawn, Currently Amended) A compound of formula (Id) according to <u>claim</u>
42 claim 28 which is selected from:


Structure	TUPAC Name
methan co₂h propy	thyl-2- [4-{3-(5- anesulfonyloxyindol-1-yl) yloxy} phenoxy] propanoic Arginine salt
meth propy	ethyl-2-[4-{3-(4- anesulfonyloxyphenoxy) yloxy} phenoxy] propanoic Arginine salt
H ₂ N NH ₂ meth propy	ethyl-2-[3-{3-(3- nanesulfonyloxyphenoxy) yloxy} phenoxy] propanoic Arginine salt
H ₂ N NH ₂ meth prop	ethyl-2-[3-{3-(4- nanesulfonyloxyphenoxy) yloxy} phenoxy] propanoic Arginine salt
tolue oxy}	ethyl-2-[3-{3-(4-(para- enesulfonyloxy)phenoxy)propyl phenoxy]propanoic acid, nine salt
$\begin{array}{c} \text{meth} \\ \text{oxy} \end{array}$	ethyl-2-[4-{3-(4- nanesulfonyloxyphenoxy)propyl phenoxy]butanoic acid, nine salt
$\begin{array}{c} \text{meth} \\ \text{oxy} \end{array}$	nanesulfonyloxyphenox phenoxy]butanoic acid

48. (Withdrawn, Currently Amended) The compound of formula (le) according to claim 1, which is



wherein all of the symbols are as defined in claim 28 above.

- 49. (Withdrawn) The compound of claim 48, wherein Ar_1 is substituted with OSO_2R^3 , and R^3 , and R^3 is alkyl or aryl.
- 50. (Withdrawn, Currently Amended) The compound of formula (If) according to claim 1, which is,



wherein all of the symbols are as defined in claim 28 above.

51. (Withdrawn, Currently Amended) The compound of claim $\underline{50}$ 15, wherein Ar₁ is substituted with $-OSO_2R^3$, where R^3 is selected from optionally substituted groups selected from alkyl or aryl.

52. (Withdrawn, Currently Amended) The compound of formula (Ie) as claimed in Claim 48 claim 1 is selected from:

Structure	IUPAC Name
Me. SO O O O O O O O O O O O O O O O O O O	Ethyl 2-methyl-2- [4-{3-(5-methanesulfonyloxyindol-1-yl) propyl} phenoxy] propanoate
Me s O COOH	2-methyl-2- [4-{3-(5-methanesulfonyloxyindol-1-yl) propyl} phenoxy] propanoic acid
Me S O O O O O O O O O O O O O O O O O O	Ethyl 2-methyl-2- [3-{3-(5-methanesulfonyloxyindol-1-yl) propyl} phenoxy] propanoate
Me s O CO ₂ H	2-methyl-2- [3-{3-(5- methanesulfonyloxyindol-1-yl) propyl} phenoxy] propanoic acid
Me's O CO₂Et	Ethyl 2-[3-{3-(5- methanesulfonyloxyindol-1-yl) propyl}phenoxy] propanoate
Me S O CO ₂ H	2-Methyl-2-[4-{4-(5- methanesulfonyloxyindol- lyl)butyl}phenoxy]propanoic acid
Me, O O'SO N N O CO ₂ H	2-[3-{3-(5- Methanesulfonyloxyindol-1- yl)propyl}phenoxy]propanoic acid
O'S.O N O CO2H	2-Methyl-2-[3-{3-(5-(para-toluenesulfonyloxy)indol-1-yl)propyl}phenoxy] propanoic acid
S.O.	Ethyl 2-methyl-2-[3-{3-(5-(para-toluenesulfonyloxy)indol-1-yl)propyl}phenoxy] propanoate

Structure	IUPAC Name
Me, s, O O O O O O O O O O O O O O O O O O	1-[4-{3-(5- methanesulfonyloxyindol-1- yl)propyl}phenoxy]cyclopentane-1- carboxylic acid, methyl ester
Me s O CO ₂ Me	1-[4-{4-(5- methanesulfonyloxyindol-1- yl)butyl}phenoxy]cyclopentane-1- carboxylic acid, methyl ester
Me's O	1-[4-{3-(7-Methanesulfonyloxy-3, 4-dihydro-2 <i>H</i> -bezo [<i>b</i>] [1, 4] oxazin- 4-yl)propyl} phenoxy]cyclopentane- 1-carboxylic acid, methyl ester
Me o so o co ₂ H	1-[4-{3-(5- Methanesulfonyloxyindol-1- yl)propyl}phenoxy]cyclopentane-1- carboxylic acid
Me s O CO ₂ H	1-[4-{3-(5- methanesulfonyloxyindol-1- yl)propyl}phenoxy]cyclohexane-1- carboxylic acid
Me S O CO ₂ H	1-[4-{4-(5- methanesulfonyloxyindol-1- yl)butyl}phenoxy]cyclopentane-1- carboxylic acid
Me s O CO ₂ Me	1-[4-{3-(5- Methanesulfonyloxyindol-1- yl)propyl}phenoxy]cyclohexane-1- carboxylic acid, methyl ester

54. (Withdrawn, Currently Amended) The compound of formula (le) as claimed in <u>claim 48 claim 1</u> is selected from:

Structure	IUPAC Name
Me-s'-o-N COOCH ₃	(+) Methyl (R)-2-methyl-2-[4-{3-(5-methanesulfonyloxyindol-1-yl)propyl}phenoxy] butanoate
Me-s'0 N COOCH3	(-) Methyl (S)-2-methyl-2-[4-{3-(5-methanesulfonyloxyindol-1-yl)propyl}phenoxy] butanoate
Me S O CO ₂ Et	Ethyl 2-methyl-2-[4-{4-(5-methanesulfonyloxyindol-1-yl)butyl}phenoxy]propanoate
Me-s'-0 N O COOH	(R)- (+)-2-methyl-2-[4-{3-(5-methanesulfonyloxyindol-1-yl) propyl} phenoxy] butanoic acid
Me-s-0 N O COOH	(S)- (-)-2-methyl-2-[4-{3-(5-methanesulfonyloxyindol-1-yl)propyl}phenoxy] butanoic acid

Structure	IUPAC Name
MsO O CO ₂ Et	Ethyl 2-methyl-2-[4-{3-(3-methanesulfonyloxyphenoxy) propyl} phenoxy] propanoate
MsO_O_CO ₂ Et	Ethyl 2-methyl-2-[3-{3-(4-methanesulfonyloxyphenoxy) propyl} phenoxy] propanoate
Mso CO ₂ H	2-Methyl-2-[4-{3-(3- methanesulfonyloxyphenoxy) propyl} phenoxy] propanoic acid
MsOOCO ₂ H	2-Methyl-2-[3-{3-(4-methanesulfonyloxyphenoxy) propyl} phenoxy] propanoic acid
0, 0 0 0 CO ₂ H	2-Methyl-2-[4-{4-(4- methanesulfonyloxyphenoxy) butyl}phenoxy]propanoic acid
О. S.O. О О О О О О О О О О О О О О О О О О	2-Methyl-2-[3-{5-(4-methanesulfonyloxyphenoxy)pentyl} }phenoxy]propanoic acid

56. (Withdrawn, Currently Amended) The compound of formula (le) as claimed in

claim 48 claim 1 is selected from:

Structure	IUPAC Name
O ₂ N O CO ₂ Et	Ethyl 2-methyl-2-[3-{5-(4-nitrophenoxy)propyl}phenoxy]propanoate
H ₂ N CO ₂ Et	Ethyl 2-methyl-2-[3-{5-(4- aminophenoxy)propyl}phenoxy]pro panoate
→ Jy O CO2H	2-Methyl-2-[4-{3-(4-(tert-butyloxycarbonylamino)phenoxy)propyl}phenoxy]propanoic acid
O, O O O O O O O O O O O O O O O O O O	2-Methyl-2-[4-{3-(4- (methanesulfonylamino)phenoxy)pr opyl}phenoxy]propanoic acid
J. J. D. CO2E1	Ethyl 2-methyl-2-[4-{3-(4-(tert-butyloxycarbonylamino)phenoxy)propyl}phenoxy]propanoate

O SO CO2Et	Ethyl 2-methyl-2-[4-{4-(4- methanesulfonyloxyphenoxy)butyl} phenoxy]propanoate
O. CO2EI	Ethyl 2-methyl-2-[3-{5-(4-methanesulfonyloxyphenoxy)pentyl} phenoxy]propanoate
O, S, O, Me'S', N	Ethyl 2-methyl-2-[4-{3-(4- (methanesulfonylamino)phenoxy)pr opyl}phenoxy]propanoate

Structure	IUPAC Name
O CO2Et	Ethyl 2-methyl-2- [4-{3-(3, 4-dihydro-2H-bezo [b] [1, 4] 0xazin-4-yl) propyl} phenoxy] propanoate
O O COOH	2-methyl-2- [4-{3-(3, 4-dihydro-2H-bezo [b] [1, 4] 0xazin-4-yl) propyl} phenoxy] propanoic acid
H ₃ C, O O O O O O O O O O O O O O O O O O O	Ethyl-2-methyl-2-[3-{3-(7-Methanesulfonyloxy-3, 4-dihydro-2 <i>H</i> -bezo [<i>b</i>] [1, 4] oxazin-4-yl) propyl} phenoxy] propanoate.
Me S O O O CO2Et	Ethyl 2-methyl-2-[4-{4-(7-methanesulfonyloxy-3, 4-dihydro-2 <i>H</i> -bezo [<i>b</i>] [1, 4] oxazin-3-on-4-yl)butyl}phenoxy]propanoate
H ₃ C, S, O COOH	2-Methyl-2-[3-{3-(7- Methanesulfonyloxy-3, 4-dihydro- 2H-bezo [b] [1, 4] oxazin-4-yl) propyl} phenoxy] propanoic acid
Me o o o o o o o o o o o o o o o o o o o	1-[4-{3-(7-Methanesulfonyloxy-3, 4-dihydro-2 <i>H</i> -bezo [<i>b</i>] [1, 4] oxazin- 4-yl)propyl}phenoxy] cyclopentane- 1-carboxylic acid
Me S O O O O CO2H	2-Methyl-2-[4-{4-(7-methanesulfonyloxy-3, 4-dihydro-2 <i>H</i> -bezo [<i>b</i>] [1, 4] oxazin-3-on-4-yl)butyl}phenoxy]propanoic acid

58. (Withdrawn, Currently Amended) The compound of formula (le) as claimed in Claim 48 claim 1 is selected from:

Structure	IUPAC Name
Me-s, ON NH2	(R)- (+)-2-methyl-2-[4-{3-(5-methanesulfonyloxyindol-1-yl) propyl} phenoxy] butanoic acid, Arginine salt
Me S O N N N N N N N N N N N N N N N N N N	(S)- (-)-2-methyl-2-[4-{3-(5-methanesulfonyloxyindol-1-yl) propyl} phenoxy] butanoic acid, Arginine salt
Me, 50 0550 H ₂ N H ₂ CO ₂ H NH ₂ NH ₂	2-methyl-2- [4-{3-(5- methanesulfonyloxyindol-1-yl) propyl} phenoxy] propanoic acid Arginine salt
Me, 5.0 O CO2H2N	2-methyl-2- [3-{3-(5- methanesulfonyloxyindol-1-yl) propyl} phenoxy] propanoic acid Arginine salt
Me s. 0 0 0 0 NH2	2-Methyl-2-[4-{4-(5-methane sulfonyloxyindol-1yl)butyl} phenoxy]propanoic acid, arginine salt
H ₂ N ₁ H ₁ COOH NH ₃ NH ₃	2-Methyl-2-[3-{3-(5-(para-toluenesulfonyloxy)indol-1-yl)propyl} phenoxy] propanoic acid, arginine salt
Me, s, o, t	2-[3-{3-(5- Methanesulfonyloxyindol-1- yl)propyl}phenoxy]propanoic acid, arginine
Han Han Cook	1-[4-{4-(5- methanesulfonyloxyindol-1- yl)butyl}phenoxy]cyclopentane-1- carboxylic acid, arginine salt

59. (Withdrawn, Currently Amended) The compound of formula (le) as claimed in claim 48 claim 1 is selected from:

Structure	IUPAC Name
Mg ² · Me, s, O O'S O N CO2 O CO2 O	1-[4-{3-(5- methanesulfonyloxyindol-1- yl)propyl}phenoxy]cyclohexane-1- carboxylic acid, magnesium salt
Mg ² · Me of So of the cost	1-[4-{3-(5- Methanesulfonyloxyindol-1- yl)propyl}phenoxy]cyclopentane-1- carboxylic acid, magnesium salt
Mg ²	(racemic) Methyl-2-methyl-2-[4-{3- (5-methanesulfonyloxyindol-1-yl) propyl} phenoxy] butanoic acid Magnesium salt

Structure	IUPAC Name
Mg ² · Me, s, o o o o o o o o o o o o o o o o o o	1-[4-{3-(7-Methanesulfonyloxy-3, 4-dihydro-2 <i>H</i> -bezo [<i>b</i>] [1, 4] oxazin- 4-yl)propyl}phenoxy]cyclopentane- 1-carboxylic acid, magnesium salt
May Sold Sold Sold Sold Sold Sold Sold Sold	2-Methyl-2-[4-{4-(7-methanesulfonyloxy-3, 4-dihydro-2 <i>H</i> -bezo [<i>b</i>] [1, 4] oxazin-3-on-4-yl)butyl}phenoxy]propanoic acid, Arginine salt
H ₂ N H CO ₂ H NH ₂ O COO ⊕ NH ₂	2-methyl-2- [4-{3-(3,4-dihydro-2H-bezo [b][1,4] 0xazin-4-yl) propyl} phenoxy] propanoic acid Arginine salt
0,5,0 Th N Coh	2-Methyl-2-[3-{3-(7- Methanesulfonyloxy-3, 4-dihydro- 2H-bezo [b] [1, 4] oxazin-4-yl) propyl} phenoxy] propanoic acid, Arginine salt

Structure	IUPAC Name
CO2H NH2	2-Methyl-2-[4-{3-(3- methanesulfonyloxyphenoxy) propyl} phenoxy] propanoic acid Arginine salt
Q ₂ s ² Q COOH NH ₂ NH ₂ COOH NH ₂ Q NH ₂ NH ₂	2-Methyl-2-[4-{4-(4- methanesulfonyloxyphenoxy)butyl} phenoxy]propanoic acid, arginine salt
H ₂ N COOH NH ₂ NH ₂	2-Methyl-2-[3-{5-(4-methanesulfonyloxyphenoxy)pentyl} phenoxy]propanoic acid, arginine salt

62. (Withdrawn) A process for the preparation of compound of formula (I),

wherein Ar₁ represents

and all other symbols are as defined above, which process comprises, reacting compound of formula (8)


wherein Ar₁ represents

with a compound of formula (9)

$$L^{3}-Y \xrightarrow{\qquad \qquad } A \xrightarrow{\qquad \qquad } (CH_{2})_{m} \xrightarrow{\qquad \qquad } (CH_{2})_{n} - COOR^{7}$$

where L³ represents a leaving group selected from halo or mesyloxy, and all other symbols have the meaning as described above.

63. (Currently Amended) A pharmaceutical composition, which comprises a compound of formula (I)



as defined in <u>claim 28</u> claim 1 and a pharmaceutically acceptable carrier, diluent, excipient or solvate.

- 64. (Currently Amended) The pharmaceutical composition of claim 63, wherein the compound is as claimed in claim[[s]] 30.
- 65. (Withdrawn, Currently Amended) The pharmaceutical composition of claim 63, wherein the compound is as claimed in claim[[s]] 38.
- 66. (Withdrawn, Currently Amended) The pharmaceutical composition of claim 63, wherein the compound is as claimed in claim[[s]] 41.
- 67. (Withdrawn, Currently Amended) The pharmaceutical composition of claim 63, wherein the compound is as claimed in claim[[s]] 43.
- 68. (Withdrawn, Currently Amended) The pharmaceutical composition of claim 63, wherein the compound is as claimed in claim[[s]] 49.

- 69. (Withdrawn, Currently Amended) The pharmaceutical composition of claim 63, wherein the compound is as claimed in claim[[s]] 51.
- 70. (Original) A pharmaceutical composition as claimed in claim 63, in the form of a tablet, capsule, powder, syrup, solution or suspension.
- 71. (Withdrawn, Currently Amended) A method for treating and/or preventing dyslipidemia comprising administering a compound of formula (I) as defined in <u>claim 28</u> claim 1 or a pharmaceutical composition according to claim 63 to a patient in need thereof.
- 72. (Withdrawn, Currently Amended) A method for treating and/or preventing diabetes caused by insulin resistance or impaired glucose tolerance comprising administering a compound of formula (I) as defined in <u>claim 28 claim 1</u> or a pharmaceutical composition according to claim 63 to a patient in need thereof.

73-74. (Canceled.)

75. (Withdrawn, Currently Amended) A medicine for treating and/or preventing diabetes caused dyslipidemia comprising administering a compound of formula (I) as defined in <u>claim 28 claim 1</u> or a pharmaceutical composition according to claim 63 to a patient in need thereof.

76. (Withdrawn, Currently Amended) A medicine for treating and/or preventing diabetes caused by insulin resistance or impaired glucose tolerance comprising administering a compound of formula (I) as defined in <u>claim 28 claim 1</u> or a pharmaceutical composition according to claim 63 to a patient in need thereof.